

CLOSED LOOP REFINING & RECOVERY

ONLINE DOCUMENT RESPOSITORY

	A	B	C	D	E
1	SITE ID	DOCUMENT TITLE	PREPARED BY	SUBMITTAL DATE	UPLOAD DATE
2	Reference	Closure Plan Review Guidance for RCRA Facilities	Ohio Environmental Protection Agency	01-Jul-17	22-May-20
3	Reference	Guidance on Conducting Non-Time Critical Removal Actions Under CERCLA	U.S. Environmental Protection Agency	01-Aug-93	22-May-20
4	Reference	Use of Non-Time Critical Removal Authority in Superfund Response Actions	U.S. Environmental Protection Agency	02-Feb-2000	22-May-20
5					
6	2200 Fairwood Avenue Facility	Closure Plan, Closed Loop Refining and Recovery, 2200 Fairwood Avenue, Columbus, Ohio 43207 (Final Engineering Evaluation/Cost Analysis, Included as Attachment A)	EnSafe Inc.	22-May-20	22-May-20
7	2200 Fairwood Avenue Facility	Report on Removal Preliminary Assessment, Closed Loop Refining and Recovery, 2200 Fairwood Avenue, Columbus, Ohio 43207	EnSafe Inc.	12-May-20	22-May-20
8	2200 Fairwood Avenue Facility	Letter - OSC Appointment for Removal Action at 2200 Fairwood Avenue, Columbus, OH	Olymbec USA	07-May-20	22-May-20
9	2200 Fairwood Avenue Facility	Summary of Community Relations Stakeholder Identification	EnSafe Inc.	Multiple	22-May-20
10	2200 Fairwood Avenue Facility	Pubic Notice Announcement - Property Address: 2200 Fairwood Avenue, Columbus, Ohio 43207	EnSafe Inc.	22-May-20	22-May-20
11					